

Description	ICD10-CM Code	Documentation Tips
<b>Otitis</b>		
Acute serous otitis media, right ear	H65.01	Indicate acute or chronic; recurrent; Media or externa; right, left or bilateral
Acute serous otitis media, left ear	H65.02	
Chronic serous otitis media, right ear	H65.21	
Chronic serous otitis media, left ear	H65.22	
Chronic serous otitis media, bilateral	H65.23	
Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear	H65.112	Specify type if known mucoid, suppurative (or non), tubotympanic, atticontrol
Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear	H66.004	
<b>Abdominal Pain</b>		
Left upper quadrant pain	R10.12	Indicate pain, tenderness or rebound tenderness
Right lower quadrant pain	R10.31	Indicate location: quadrant, epigastric, umbilical, generalized
Upper abdominal pain, unspecified	R10.10	
Right lower quadrant rebound abdominal tenderness	R10.823	
Epigastric rebound abdominal tenderness	R10.826	
<b>Alcohol/Drug Use, Abuse or Dependence</b>		
Alcohol abuse, uncomplicated	F10.10	Indicate use, abuse, or dependence; with intoxication, anxiety disorder, in remission, or withdrawal; uncomplicated; indicate specific drug; Evidence of alcohol involvement determined by blood alcohol level (BAL): include level if known
Alcohol abuse with alcohol-induced psychotic disorder with delusions	F10.150	
Alcohol dependence with intoxication delirium	F10.221	
Alcohol use, unspecified with alcohol-induced sleep disorder	F10.982	
<b>Pneumonia</b>		
RSV Pneumonia	J12.1	Indicate viral or bacterial and specific causal organism
Adenoviral Pneumonia	J12.0	
Pneumonia due to MSSA	J15.211	
Pneumonia due to E.Coli	J15.5	
<b>Gen Exam with Normal Find</b>		
Encounter for routine child health exam w/o abnormal findings	Z00.129	Specify type: well child, sports, pre-employment, etc.
Encounter for general adult medical exam w/o abnormal findings	Z00.00	
<b>Gen Exam w/Abnormal Find</b>		
Encounter for routine child health exam w/ abnormal findings	Z00.121	Specify type: well child, sports, pre-employment, etc. Use additional code to identify abnormal finding
Encounter for examination for participation in sport	Z02.5	

Description	ICD10-CM Code	Documentation Tips
<b>CHF</b>		
Acute Systolic CHF	I50.21	Indicate systolic, diastolic, or combined and acute, chronic or acute on chronic
Chronic Diastolic CHF	I50.32	
Acute on chronic combined CHF	I50.43	
<b>Diabetes</b>		
Type I No complications	E10.9	Indicate Type I or Type II and all manifestations. Use linking statement (i.e. diabetic cataract)
TYPE II No complication	E11.9	
<b>Obesity</b>		
Drug Induced Obesity	E66.1	Indicate morbid, drug induced, or overweight. Document BMI
Morbid Obesity due to excess calories	E66.01	
Overweight	E66.3	
<b>Asthma</b>		
Mild intermittent	J45.20	Indicate mild, moderate, severe intermittent, persistent status asthmaticus acute exacerbation
Mod persistent w/status asthmaticus	J45.42	
Severe persistent w/acute	J45.51	
<b>Tobacco: Use or Depend</b>		
Tobacco use	Z72.0	Indicate use or dependence; type (smokeless or cigarettes); with nicotine induced disorder, in remission or withdrawal
Nicotine dependence, cigarettes, in remission	F17.211	
Nicotine dependence, chewing tobacco, uncomplicated	F17.220	

- \* Indicate Episode of Care (initial, subsequent, sequela) for injuries or fractures
- \* Always indicate left, right or bilateral
- \* These are intended to be examples not a comprehensive listing. Please refer to the official ICD-10-CM code set for details

Questions: [BHICD10ProviderQA@bannerhealth.com](mailto:BHICD10ProviderQA@bannerhealth.com)